

Daewon PRODUCT LIST







The most important value for us is belief and trust.

What we would like to leave as the profit is healthy life of more people.

Obtaining customers' belief and trust is the most important principle for our corporate management. "Belief and trust" not only means our business management is honest and transparent in every way, but also makes our customer use any of our products safely without worries. Based upon this business philosophy, we will continuously upkeep our mission as a companion that protects health of our customers through appropriate business growth.

Expand to Overseas Business

By licensing-out new drugs, incrementally modified drugs, and high-value original drugs such as Pelubi & Pelubi CR Tab.(NSAIDs), Megex-I Suspension(anti-cancer supplement), and Privituss Suspension(antitussive) to large pharmaceutical markets like China, Daewon Pham is preparing another rapid growth. We are exporting technologies and differentiated pharmaceutical products, based on our distinctive platform technology. We are also moving forward to export medical devices like hearing aids.



We are making a bright and happy world with Delight Hearing Aid.

Delight, a subsidiary company specialized in hearing aid business, is delivering joy and happiness of listening beautiful sounds to the hard of hearing, based on endless technology research and customer-centered service. Delight has been improving domestic hearing aid technology further with professionalized R&D and self-production capability, and now moving towards the world with improved products and services.





Product	Active ingredient	Indication	Dosage & Administration
Pelubi Tab. Analgesic			
(Circuit Trial	Each tablet contains Pelubiprofen 30mg	Reduce symptoms of Osteoarthritis, Rheumatoid arthritis, Back pain (Lumbago) and Fever	1 Tab.(30mg), 3 times daily
Pelubi CR Tab. Analge	sic		
(Circus)	Each tablet contains Pelubiprofen 45mg	Reduce symptoms of Osteoarthritis, Rheumatoid arthritis, Back pain (Lumbago) and Fever	1 Tab. (45mg), twice daily.
Curefen Syr. Analgesid			
A sep.	In 1mL Dexibuprofen 6mg, 12mg	Antipyretic analgesic	The doses are different according to age.
Senafen Tab. Analgesio	•		
BE	Each tablet contains Aceclofenac 100mg	Rheumatoid arthritis, Ankylosing spondylitis, Osteoarthritis	1 Tab., twice daily
Tapain Inj. Analgesic			
498.	Each ampoule(2mL) contains Diclofenac sodium 2mL	Rheumatoid arthritis, Osteoarthritis, Ankylosing spondylitis, Inflam- mation and pain in post-opera- tion, Acute gout	Adults: 1 Amp., IM daily. For severe symptoms: 1 Amp., twice daily
Wontran ER Tab. Anal	gesic		
Circai	Each tablet contains Acetaminophen 650mg Tramadol HCl 75mg	Moderate to severe chronic pain.	Take 1 Tab. at first dose, administrate 2 Tabs. once, twice daily. (4 Tabs a day) Administration interval should be at least 12 hours. The maximum daily dose of Wontran ER tab is 4 Tabs.
Amiphile Inj. Respirato	ry		
00x80	In 10mL Aminophylline Hydrate 250mg	Relief of bronchospasm associated with asthma and in chronic obstructive pulmonary disease	250mg, once or twice daily (IV)

In adults and adolescents 13 years and older is 75 mg twice daily for 5 days.

Treatment of Influenza

Product	Active ingredient	Indication	Dosage & Administration
Beposta B Tab. Respin	ratory		
BE	Each tablet contains Bepotas besilate 10mg	Treatment of itching due to allergic conjunctivies	1 Tab., twice daily
Codaewon Tab. Respi	ratory		
	Each tablet contains Dihydrocodeine bitartrate 5mg DL-Methylephedrine HCI 17.5mg Chlorpheniramine maleate 1.5mg Guaifenesin 50mg	Cough, Sputum	Adults: 2 Tabs., 3 times daily Children: 11~15years: 1~2 Tabs. / 8~11years: 1 Tab. three times daily
Codaewon Forte Syr.	Respiratory		
	In 100ml syrup Ammonium Chloride 1000mg Chlorpheniramine Maleate 15mg Dihydrocodeine Tartrate 50mg DI-methylephedrine HCl 131mg	Cough & Phlegm	1 Pouch, 3~4 times daily
Elstein Tab. / Cap. / Syr.	Respiratory		
BE	Each tablet, capsule and syrup contains Erdosteine 300mg, 300mg and 35mg/mL	Relief of cough acute & chronic respiratory disease	Tablet and Capsule : 1 Cap, 2~3 times daily Syrup : 175~350mg, once or twice daily
Nadoxol Inj. Respirato	pry		
444.	Each ampoule(2mL) contains Ambroxol HCl 15mg	Respiratory disease with abnormal secretion	Adults: 1 Amp. twice daily or three times daily IV, IM, SC Children: Daily recommended dose is 1.2~1.6mg / kg
Nezelex Nasal Spray Respiratory			
	In 1 dose Mometasone Furoate 50μg	Allergic rhinitis	If patients push the pump one time, Mometasone Furoate 100mg release(Mometasone Furoate monohydrate 0.05mg). Once daily, spraying twice in nasal.
Oseltawon Cap. Respi	iratory		

Each capsule contains

Oseltamivir phosphate 30mg, 45mg, 75mg



Product	Active ingredient	Indication	Dosage & Administration
Rizine Tab. (Respiratory			
Firme.	Each tablet contains Cetirizine HCl 10mg	Rhinitis by seasonal allergy, Conjunctivitis, Chronic rhinitis, Itching	Over 6 year and adults : 1 Tab., daily, administer in the evening.
Xyzine Tab. Respirator	y		
	Each tablet contains Levocetirizine HCl 5mg	Seasonal and perennial allergic rhinitis, the uncomplicated skin manifestations of chronic idiopathic urticaria	Adults and children over 6 years of age : 1 Tab.(Levocetirizine 5mg), once daily
Eswonamp Tab. Gast	rointestinal		
(BE)	Each tablet contains Esomeprazole magnesium 20, 40mg	GERD, Zolonger-Elison syndrome, Duodenal ulcer	GERD : 20~40mg daily 20mg or 40mg Duodenal Ulcer : 20mg daily
Fotagel Susp. Gastroii	ntestinal		
FOTAGEL 20mb	In 100mL Dioctahedral smectite 15g	Pain symptoms after esophageal, gastroduodenal and enteric disease. Acute or chronic diarrhea.	Acute: 20mL, 3~4 times daily Children: under 6 months of age: 10mL, 2 times daily 6 months~5 years: 10mL, 3 times daily over 5 years: 20mL, 2~3 times daily
Freegel Susp. Gastroi	ntestinal		
The second secon	Each pouch(15mL) contains Almagate 1.5g	Gastroduodenal ulcer, Gastritis, Hyperchylia (heartburn, nausea, vomiting, gastric pain, belching up a bit of sour vomit), Reflux esophagitis.	1 Pouch(15mL) 3 times daily, in 1~2 hours after meals. In case of severe gastroduodenal ulcer, 1 Pouch(15mL) 4 times daily in 1~2 hours after meals or before sleeping.
Pantyrase Tab. Gastro	pintestinal		
PARTHAE-	Each tablet contains Pancreatin 175mg Ox bile Extract 25mg Dimethicone 25mg Hemicellulase 50mg	Dyspepsia, Anorexia, Abdominal fullness	Adults: 1~2 Tabs., 3 times daily
Pariben Tab. Gastroint	testinal		



Each tablet contains

Rabeprazole sodium 10mg, 20mg

Gastric ulcer, Duodenal ulcer, Oesophagitis erosiva Gastric ulcer, Duodenal ulcer : 10mg once daily, Oesophagitis erosive : 20mg once daily

Product	Active ingredient	Indication	Dosage & Administration
Trigel Susp. Gastroint	testinal		
Eding (C)	Each pouch(10mL) Oxethazaine 20mg Dried Aluminum hydroxide gel 582mg Magnesium hydroxide 196mg	Acute & Chronic pain, Gastritis, Duodenal ulcer, Esophagitis, Stomach pain by dyspepsia in radiotherapy	1/2~1 Pouch, 4 times daily
Clasin dried syr. 125mg	n/5mL, 250mg/5mL (Antimicrobal)		
4.8	125mg/5mL : Each 1mL contains Clarithromycin 25mg(activity) 250mg/5mL : Each 1mL contains Clarithromycin 50mg(activity)	Upper & lower respiratory infection, skin infection, Mycobacterium infection	7.5mg/kg(as clarithromycin activity), Every 12 hours
Wonfuroxime Inj. Ar	ntimicrobal		
	Each vial contains Cefuroxime sodium 250mg, 750mg, 1.5g	Bronchitis, Pneumonia, Pyelonephritis, Meningitis, Gon- orrhea	Adults: 750mg 3 times daily, IV or IM Children: 30~100mg / kg divided into 3~4 times daily IV or IM
Wontaxime Inj. Antin	nicrobal		
	Each vial contains Cefotaxime sodium 250mg or 500mg or 1g	Bronchitis, Pneumonia, Meningitis, Gonorrhea, Septicemia, Osteomyelitis, Peritonitis	Acute: 2~12g divided into several times IV or IM according to infections Children: 50~100mg / kg divided every 6~12 hours daily IV
Wontiaxone Inj. Anti	imicrobal		
	Each vial contains Cefotaxime sodium 250mg or 500mg or 1g	Bronchitis, Pneumonia, Meningitis, Gonorrhea, Septicemia, Osteomyelitis, Peritonitis	Acute: 2~12g divided into several times IV or IM according to infections Children: 50~100mg / kg divided every 6~12 hours daily IV
A-phine Tab. Cardiov	ascular		
(BE)	Each tablet contains Amlodipine maleate 6.42mg (5mg as Amlodipine)	Hypertension, stable-angina pectoris	The doses are different according to patients. 1 Tab., once daily (maximum dose/day : 10mg)

Clow Tab. Cardiovascular



Each tablet contains

(5mg as Amlodipine)

Rosuvastatin 5mg, 10mg, 20mg

Protopathy hypercholesterolemia, Combined hyperlipidemia

5~20mg, once daily

dose/day : 10mg)



Product	Active ingredient	Indication	Dosage & Administration
Clow Z Tab. Cardiov	rascular		
(BE)	Each tablet contains Rosuvastatin 5mg, 10mg, 20mg Ezetimibe 10mg	Protopathy hypercholesterolemia, Combined hyperlipidemia	1 Tab., once daily
Diortan Susp. Cardio	ovascular		
(BE)	Each tablet contains Valsartan 80mg, 160mg	Hypertension	1 Tab., once daily
Daewon Clopidogr	el Tab. Cardiovascular		
(BE)	Each tablet contains Clopidogrel Bisulfate 97.875mg (75mg as Clopidogrel)	Recent MI, Recent Stroke or Estab- lished Peripheral Arterial Disease. Acute Coronary Syndrome. De- crease the risk of atherothrombo- sis and thromboembolism.	1 Tab., once daily
Itorin Tab. Cardiovas	scular		
BE)	Each tablet contains Simvastatin 10mg, 20mg Ezetimibe 10mg	Protopathy hypercholesterolemia, Combined hyperlipidemia	The doses are different according to patients
Lipiwon Tab. Cardio	ovascular	'	'
(BE)	Each tablet contains Atorvastatin Ca 10.36 / 20.72mg (10, 20mg as Atorvastatin)	Patients with primary hypercho- lesterolemia and prevention of Cardiovascular Disease	1 Tab.(10mg), once daily. If needed, the maximum dosage is 80mg per day.
Spiracton Tab. Care	diovascular		
(BE)	Each tablet contains Spironolactone 50mg	Heart failure, Hypertension and hypokalemia	1~2 Tabs., daily
TG Fenone Tab. Ca	nrdiovascular)		
(BE)	Each tablet contains Choline Fenofibrate 178.8 mg (as fenofibric acid 135 mg)	Treatment of Severe Hyper- triglyceridemia and Treatment of Primary Hypercholesterolemia or Mixed Dyslipidemia	1 Tab., once daily

Product	Active ingredient	Indication	Dosage & Administration
Tri-in-one Tab. Car	diovascular		
	Each tablet contains Telmisartan 40mg + Almodiphine 5mg + Rosuvastatin 5mg Telmisartan 40mg + Almodiphine 5mg + Rosuvastatin 10mg Telmisartan 80mg + Almodiphine 5mg + Rosuvastatin 5mg Telmisartan 80mg + Almodiphine 5mg + Rosuvastatin 10mg	Hypertension & Hyperlipidemia	1 Tab., once daily
Гwincombi Таb. <mark>С</mark> ё	ardiovascular)		



Each tablet contains

Telmisartan 40mg + Almodiphine 5mg Telmisartan 40mg + Almodiphine 10mg Telmisartan 80mg + Almodiphine 5mg

Hypertension

1 Tab., once daily

Wonsartan Tab. Cardiovascular



Each tablet contains

Losartan potassium 50mg

Hypertension

1 Tab.(50mg), once daily. If needed, the maximum dose is 2 Tabs.(100mg).

Wonvelol Tab. 12.5mg, 25mg Cardiovascular



Each tablet contains

Carvedilol 12.5mg / 25mg

Essential hypertension, Chronic stable angina pectoris

Essential hypertension: 25mg once daily (2 weeks) Chronic stable angina pectoris : 25mg 2times daily (2 weeks)

Altiro Tab. Antidiabetic



Each tablet contains

R-Thioctic acid(R-a-Lipoic Acid) 480mg

Diabetic Peripheral Neuropathy

1 Tab., daily

Mericle Tab. Antidiabetic



Each tablet contains

Glimepiride 2mg

Insulin-independent diabetes(Type II)

It should be adjusted according to patients. 1 Tab., once daily. It should be administrated before the first meal of a day.



Product	Active ingredient	Indication	Dosage & Administration
Mericle M Tab. Antid	diabetic		
BE	Each tablet contains Glimepiride 2mg Metformin HCI 500mg	Diabetes mellitus type 2	1 Tab., once or twice daily
icure Susp. Hepatic			
O track	Each pouch(20g) contains L-leucine 0.952g L-isoleucine 1.904g L-valine 1.144g	Hypoalbuminemia	1 Pouch(20g), 3 times daily
delpovin Infusion He	epatic		
STREET,	Each ampoule(10mL) contains L - Ornithine - L - Aspartate 5g	Liver disease, especially hepatic coma or pre-coma	Acute hepatitis : 1~2 amps. daily Chronic hepatitis, Cirrhosis : 2~4 Amps. daily
A lfocholine Soft cap.	/Inj./Syr. Psychoneurotic		
BE	Each Soft cap. / ampoule / pouch contains Choline Alfoscerate 400mg / 1g / 400mg	Improvement of cognitive dys- function in patients with demen- tia of neurodegenerative and vascular origin	Tablet and Syrup : 400mg, 2~3 times daily Injection : 1g, once daily
Metran Cap. / Inj. Ps	ychoneurotic		
Maryon.	Each capsule / ampoule(1mL) contains Mecobalamin 500µg	Peripheral neuronic disorder. Megaloblastic anemia caused by deficiency of Vitamin B12.	Cap. : Adults : 1500 µg daily divided into 3 times Inj. : Adults : 1 Amp. / day 3 times a week IM, SC
Daewon Dexameth	asone Inj. (Endocrine)		
inner.	Each ampoule(1mL) contains Dexamethasone disodium phosphate 5mg	Adrenal corticosteroid	Adults : 2~8mg every 3~6 hours IM, IV, 2~10mg IV Infusion
Dexmin Tab. Endocr	ine)		
	Each tablet contains	Urticaria Eczema Dermatitis	

Betamethasone 0.25mg
Dexchlorpheniramine maleate 2mg

Urticaria, Eczema, Dermatitis, Allergic rhinitis, Drug eruption

Adults: 1~2 Tabs., 1~4 times daily

Product	Active ingredient	Indication	Dosage & Administration
Agnafil Tab. (Prostate			, v
BE	Each tablet contains Sildenafil 100mg	Inpotence	50mg once as needed, approximately 1 hour before sexual activity
colipro Tab. Prostate			
BE CONTRACTOR OF THE CONTRACTO	Each tablet contains Solifenacin succinate 5mg, 10mg	Overactive bladder with symptoms of urge urinary incontinence, urgency, and frequency	5mg~10mg, once daily
erasin Tab. Prostate			
BE	Each tablet contains Terazosin HCl 2.314mg(as Terazosin 2mg)	Hypertension(mild-moderate). Urinary symptoms of benign prostatic hyperplasia.	Hypertension: Initial dose 1mg, maintenance dose 2~10mg. BPH: Initial dose 1mg, maintenance dose 5~10mg.
aewon Ascorbic A	cid Inj. Mutivitamin		
160000	In 20mL Ascorbic Acid 10g	Deficiency of Vitamin C	50~1,000mg daily (IV or IM)
Dramin Drink Mutivita	amin	<u>'</u>	1
Dram.	Each can contains Water Guarana extract Red ginseng extract Sugar Glucose Citric acid Sodium citrate Taurine		

Oranni Dilik Mulivita	Each can contains Water Guarana extract Red ginseng extract Sugar Glucose Citric acid Sodium citrate Taurine Caramel color(e150C) Flavors Calcium pantothenate Glycine Niacin Sucralose Inositon Glucono-δ-Lactone Nicotinic acid amide L-Carnitine Vitamin B6 Vitamin B12(0.1%)	Supplementation of vitamins and minerals	-
-----------------------	---	--	---

Oramin-G Soft Cap. Mutivitamin

Each soft capsule contains Korean Ginseng 40mg Aloe extr. 5mg	Supplementation of vitamins and minerals	Adults : 1 Cap., daily
--	--	------------------------



Product	Active ingredient	Indication	Dosage & Administration
Pramin-F Soft Cap.	lutivitamin		
-	Each soft capsule contains Korean Ginseng 50mg Royal jelly 10mg	Supplement of vitamins and minerals	Adults : 1 Cap., daily
)ramin-E Soft Cap. (1	futivitamin)		
anni 🝣	Each soft capsule contains Korean Ginseng 100.0mg Garlic ext. 10.0mg	Supplementation of vitamins and minerals	Adults : 1 Cap., daily
Curasten Sol. Others			
	Each 10mL contains Citrulline maleate 1g	Adynamia	10mL, 2~3 times daily
Depam Inj. Others			
DEPAM of	In 2mL Diazepam 10mg	Anxiety, Tension and Muscle convulsion	2~10mg daily IM, IV
orend Tab. Others			
BE	Each tablet contains Alendronate sodium 91.37mg	Osteoporosis	1 Tab., once weekly
orend Plus D Tab. (

Each tablet contains Alendronate sodium 9 Cholecalciferol conce 53.33mg(5600IU as Vit	ntrated powder men with osteoporosis	1 Tab., once weekly
--	--------------------------------------	---------------------

Product	Active ingredient	Indication	Dosage & Administration
Freefol MCT Inj. 20mL,	50mL Others		
	In 1mL	Anesthesia	General Anesthesia - Adults administration 4mL, every 10sec.

Megex-I Susp. Others



In 1mL

Megestrol acetate 40mg

Propofol 10mg (1%)

Propofol 20mg (2%)

Anorexia, Cachexia of cancer or AIDS patients or predominant weight loss of unknown cause.

For initial dose, 20mL daily for adults

for induction.

Megex -I ES Susp. Others



In 1mL

Megestrol acetate 125mg

Anorexia, Cachecia of cancer or AIDS patients/ Significant weight loss caused by unknown reason.

Take Megestrol Acetate 625 mg(5mL)/ day. Shake well before administration.

Phytone Inj. Others



Each ampoule(1mL) contains

Phytonadione 10mg

Hemorrhagic disease in newborn, Hypoprothrombinemia Newborn : 0.5~2mg IM Hypoprothrombinemia : 10~50mg daily IM, SC

Renamezin Cap. Others



In one time dose (7 capsules)

Spherical adsorptive carbon 2g

Chronic renal failure

7 Caps., 3 times daily (21 Caps./day)

Risewon Plus Tab. Others



Each tablet contains

Risedronate Sodium 2.5 Hydrate 40.162mg + Cholecalciferol(Vitamin D) Concentrated Powder 56mg Treatment and prevention of osteoporosis in postmenopausal women / Treatment of osteoporosis in men

1 Tab., weekly



Product	Active ingredient	Indication	Dosage & Administration
Coldwon Cold Syr.	отс		
	Each pouch contains Acetaminophen 325 mg Chlorpheniramine Maleate 2.5 mg Ephedrine HCl 18 mg Guaifenesin 42 mg	Temporarily relieves common cold/flu symptoms	Three times daily
Coldwon Cough s	уг. ОТС		
	Each pouch contains Acetaminophen 325 mg Ephedrine HCl 18 mg Guaifenesin 42 mg	Temporarily relieves common cold/flu symptoms	Three times daily
Coldwon Nose Syr	. ОТС		
	Each pouch contains Acetaminophen 325 mg Chlorpheniramine Maleate 2.5 mg Phenylephrine HCl 10 mg	Temporarily relieves common cold/flu symptoms	Three times daily
Coldwon Kids Fer	Syr. OTC		
	Each pouch contains Acetaminophen 3.2g	Temporarily relieves common cold/flu symptoms	Please see the insert.
Coldwon Kids Ibu	fen Syr. <mark>OTC</mark>		
	Each pouch contains Ibuprofen 2g	Temporarily relieves common cold/flu symptoms	Please see the insert.
Coldwon Kids Cou	ugh Syr. <mark>OTC</mark>		
E , 50	Each pouch contains Guaifenesin 10.5mg Pentoxyverine citrate 2.5mg DL-Methylephedrine HCl 3.125mg	Temporarily relieves common cold/flu symptoms	Please see the insert.
Coldwon Kids Nos	se Syr. <mark>OTC</mark>		
	Each pouch contains Chlorpheniramine Maleate 1.0 mg Pseudoephedrine HCl 15mg	Temporarily relieves common cold/flu symptoms	Please see the insert.

Jang Daewon Probiotics Health Functional Food



21 bil. CFU with 9 kinds of Probiotic strains (L. rhamnosus GG, L. plantarum, L. acidophilus, B. bifidum, B. breve, B. animalis lactis, B. longum, B. Infantis, E. faecium) Vitamin B1, B2, B6, Zinc Oxide Organic glucose powder, Organic agave inulin, Organic alpha rice powder, Organic maltodextrin, Corn starch

- No 5 major chemical ingredients
 * No HMPC, SiO2, Mg stearate, Synthesized, sweeteners or flavor
- Inhibition of harmful bacteria
- Promotion of beneficial bacteria
- Help intestinal peristalsis

One pouch/day

Jang Daewon Probiotics Kids Health Functional Food



15 bil. CFU with 8 kinds of Probiotic strains (L. plantarum CLP0611, L. plantarum, L. acidophilus, L. reuteri, B. bifidum, B. breve, B. animalis lactis, E. faecium)

Zinc Oxide, S. cerevisiae bar. boulardii Organic glucose powder, Organic agave inulin, Organic alpha rice powder, Organic maltodextrin, Corn starch

- * No HMPC, SiO2, Mg stearate, Synthesized, sweeteners or flavor
- Inhibition of harmful bacteria
- Promotion of beneficial bacteria
- Help intestinal peristalsis

One pouch/day

Jang Daewon Nature Plus probiotics Health Functional Food



30 bil. CFU with 9 kinds of Probiotic strains (B. lactis, B. bifidum, B. longum, B. bifidum R71, L. acidophilus, L. salivarius, L. plantarum, L. rhamnosusGG, L. helveticus R52, L. lactis) S. cerevisiae bar. boulardii

Organic glucose powder, Organic agave inulin, Organic alpha rice powder, Organic maltodextrin * No HMPC, SiO2, Mg stearate, Synthesized,

- sweeteners or flavor
 ** Organic certification from MAFRA
- Inhibition of harmful bacteria
- Promotion of beneficial bacteria
- Help intestinal peristalsis

One pouch/day

Jang Daewon Nature Kids probiotics Health Functional Food



20 bil. CFU with 8 kinds of Probiotic strains (B. lacti, L. acidophilus, L. salivarius, L. plantarum, L. rhamnosus GG, L. rhamnosus R11, L. helveticus R52, L. lactis)

B. coagulans

Organic glucose powder, Organic agave inulin, Organic alpha rice powder, Organic maltodextrin

- * No HMPC, SiO2, Mg stearate, Synthesized, sweeteners or flavor
 ** Organic certification from MAFRA
- Inhibition of harmful bacteria
- Promotion of beneficial bacteria
- Help intestinal peristalsis

One pouch/day



