WHITE ROSE GLOBAL & Dongwon Medical







ISO 13485 : 2016

## About us

Our company started manufacturing in 2017(Dongwon Medical) and established global business sales part in 2019(Whiterose global). We are an OEM,ODM-specialized production plant and has its own global brand-named Bio-series and WHITEROSE. The thread and the methods of installing have obtained many patents of which several certificates are international.

We have been certified by GMP, ISO13485, KFDA, CE, and various certificates of trademark registration.



# **International Certificates**



CERTIFICA	TE OF		
	RK REGISTRATION	4	and the
Reporter Rat			
-			
Pige Mark	2018.05.00		and the second second
Supreme Sale	JU18 11 UK		
Lat If South Gives 10. 25 Annes, installing Indoarcealt	reekal approto and	WHI	TEROSE
This is to cert a trademark h Office.	fy that, in accordance as been registered at t	with the Trade	mark Act. Electual Propert
0	2021 25 N	No	
		LICTUAL PROPERTY	BTY OF STAR

#### Product patent2



### GMP/KFDA

	데조 및 품질관리 기준 적합인정서 (Certificate of GMP)
	(Certificate of GMP)
	ery name of logal ( all lineses the )
\$1011(2)-0 and \$	CMD
TRADE ADDRESS IN	GIVIE
ALL BURNESS	
the R. J. Los. Doi: No. 1	ALCONE.
BE ART DRIV	address of last load?
	Gen me . ekspennen given
Divises have if , the	and the local data and the local
a manta them of the	whether (
Ash mentio	COURS WITCH (m)
-	a of Bendarius)
	21 2-11 2 - 12 - 48 2 - 48 - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 1
Burning Inc.	er #. Seegerunt, Senatraph, Milet
a sag these .	
AUGUR HERRIN	taken meters to bland Person
	And the date sector of a state of the sector
family a station	807 TL 18
Arithm if Germ	140 1 MM 11 14
0	서울지방식풍의악풍안전통장
9	HERE REPORT FOR HE DIG AMINO THE OF
	한국기계전기전자시험연구 통과 11
ICTC	form Testing Certification

		UE		
ш 🛔			not	
F	EC DESIGN EXA			
A	According to America II, I Medical Devices	Jaction 4 of the Dire	dive NAGEEC on	
U	Carthola Number CE HCO-OPTIMUSTIAS	21564×		
-	Residence	: Serger Websch	D, Dumpur, n. Beright	eyy, hair
L	Production Reading	- Berte disconten for Basel Agent Million		-
-	From States Dates and Place Structure Number and Dates	· Distance in		
	National Social Annual Social		No. of Lot of Lo	
2	Search range Bages of	(m)		
ш	tt	Carrier .		
U	NOTICE BELOILANDIG WUAVENE VE DENETT HIZNETLERI A.S.		Internet Manager Manager No. 19 A.W. Namer Intern Manager Albert and T	

CE





Whiterose is a brand born with the beauty of roses and the image of rose thorns, and the slogan "Today is a beautiful day" means that the day White Rose and customers meet is the beginning of a beautiful day.

Our main products and know-hows include invasive threads and methods for face and body lifting, contouring and rejuvenation. The plastic thread and the methods of installing have obtained many patents of which several certificates are international.





#### How dose the treatment work?

The area of treatment is locally anaesthetized and then the absorbable thread is inserted into the tissue. The type and the number of threads that are to be applied will be discussed with you beforehand.

By the minimally invasive procedure new connective tissue is build up around the thread so that the skin gets firmer and tighter. Certain types of threads can also tissue to its original position. This new and gentle method leaves neither wounds nor scars.

The threads are absorbed after a certain time depending on the type of the thread. The results will be visible for a longer period. Your doctor can give you more detailed information on this.





Clear Color PDO

USP Size	Needle Size	Thread Size
	30Gage x 25mm	30mm
	30Gage x 38mm	50mm
6-0	29Gage x 25mm	30mm
6-0	29Gage x 38mm	50mm
	29Gage x 50mm	75mm
	29Gage x 60mm	90mm
	27Gage x 38mm	50mm
	27Gage x 50mm	75mm
5-0	27Gage x 60mm	95mm
	27Gage x 90mm	150mm
	26Gage x 60mm	90mm
	26Gage x 90mm	150mm

USP Size	Needle Size	Thread Size
	27Gage x 38mm	50mm
	27Gage x 50mm	75mm
5-0	27Gage x 60mm	90mm
	27Gage x 90mm	150mm
	26Gage x 90mm	150mm
	25Gage x 38mm	50mm
4-0	25Gage x 60mm	90mm
	25Gage x 90mm	150mm
	23Gage x 38mm	50mm
3-0	23Gage x 60mm	90mm
	23Gage x 90mm	150mm




11	-	-1	-1	-1	-1	-1	-1	-	-	-1	-1	-	

USP Size	Needle Size Thread Size				
	29Gage x 25mm	30mm			
<b>C O</b>	29Gage x 38mm	50mm			
6-0	29Gage x 50mm	75mm			
	29Gage x 60mm	90mm			
	27Gage x 38mm	50mm			
	27Gage x 50mm	75mm			
5-0	27Gage x 60mm	95mm			
	27Gage x 90mm	150mm			
	26Gage x 60mm	90mm			
	26Gage x 90mm	150mm			




USP Size	Needle Size	Thread Size
	29Gage x 25mm	30mm
6-0	29Gage x 38mm	50mm
6-0	29Gage x 50mm	75mm
	29Gage x 60mm	90mm
	27Gage x 38mm	50mm
	27Gage x 50mm	75mm
5-0	27Gage x 60mm	95mm
	27Gage x 90mm	150mm
	26Gage x 60mm	90mm
	26Gage x 90mm	150mm

			Violet PDO
		-	
	360° Mu	Iti-Spiral	
		Cog line	
360° 60 0	Cutting Cog	U	
300 00			
*		FFT FF	FFL
360° MULT	TI SPIRAL		
USP Size	Needle Size	Needle Type	Thread Size
	23Gage x 38mm	Sharpe Needle	90mm
	23Gage x 60mm	Sharpe Needle	110mm
2.0	23Gage x 90mm	Sharpe Needle	120mm
3-0	23Gage x 38mm	Blunt W Type	90mm
	23Gage x 60mm	Blunt W Type	110mm
	23Gage x 90mm	Blunt W Type	120mm
	21Gage x 60mm	Blunt W Type	115mm
	21Gage x 90mm	Blunt W Type	145mm
	21Gage x 60mm	Blunt L Type	115mm
2.0	21Gage x 90mm	Blunt L Type	145mm
2-0	20Gage x 60mm	Blunt L Type	115mm
	20Gage x 100mm	Blunt L Type	160mm
	20Gage x 60mm	45° D Type	100mm
	20Gage x 100mm	45° D Type	150mm
	19Gage x 60mm	45° D Type	115mm
	19Gage x 100mm	45° D Type	150mm
1-0	19Gage x 60mm	Blunt L Type	115mm
1-0	19Gage x 100mm	Blunt L Type	150mm
	19Gage x 60mm	Blunt W Type	115mm
	19Gage x 100mm	Blunt W Type	150mm
2	18Gage x 100mm	Blunt W Type	150mm




Clear Color PDO

USP Size	Needle Size	Needle Type	Thread Size
	19Gage x 60mm	Blunt W Type	110mm
2	19Gage x 100mm	Blunt W Type	150mm
	18Gage x 100mm	Blunt W Type	150mm



	Violet PDO	Clear C	Color PDO			
	Eye-line					
-						
Fox I	Fox Eye					
USP Size	Needle Size	Needle Size	Thread Size			
2-0	21Gage x 60mm	Blunt W Type	115mm			
2-0	21Gage x 90mm	Blunt W Type	145mm			



USP Size	Needle Size	Thread Size
6-0	30Gage x 25mm	35mm



USP Size	Needle Size	Needle Size	Thread Size
7-0 x 16	19Gage x 38mm	Blunt L Type	50mm
	19Gage x 60mm	Blunt L Type	80mm

